

## ALUMINIUM CAMLOCK QUICK COUPLING

### Type A

Male Adapter X Female

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



### Type B

Female Coupler X Male

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



### Type C

Female Coupler X Hose Shank

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



### Type E

Male Adapter X Hose

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



### Type DC

Dust Cap

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



### Type D

Female Coupler X Female

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



### Type F

Male Adapter X Male

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



### Type DP

Dust Plug

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



## STAINLESS STEEL CAMLOCK QUICK COUPLING(304&316)

### Type A

Male Adapter X Female


SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



### Type C

Female Coupler X Hose Shank


SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



### Type E

Male Adapter X Hose

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



### Type DC

Dust Cap

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



### Type B

Female Coupler X Male

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



### Type D

Female Coupler X Female

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



### Type F

Male Adapter X Male

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



### Type DP

Dust Plug

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"



## BRASS CAMLOCK QUICK COUPLING

### Type A

Male Adapter X Female

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



### Type C

Female Coupler X Hose Shank

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



### Type E

Male Adapter X Hose

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



### Type DC

Dust Cap


SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



### Type B

Female Coupler X Male

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



### Type D

Female Coupler X Female

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



### Type F

Male Adapter X Male

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



### Type DP

Dust Plug

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"



## PP CAMLOCK QUICK COUPLING

### Type A

Male Adapter X Female

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type C

Female Coupler X Hose Shank

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type E

Male Adapter X Hose

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type DC

Dust Cap

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type B

Female Coupler X Male

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type D

Female Coupler X Female

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type F

Male Adapter X Male

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type DP

Dust Plug

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



## NYLON CAMLOCK QUICK COUPLING

### Type A

Male Adapter X Female

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type C

Female Coupler X Hose Shank

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type E

Male Adapter X Hose

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type DC

Dust Cap

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type B

Female Coupler X Male

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type D

Female Coupler X Female

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type F

Male Adapter X Male

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



### Type DP

Dust Plug

SIZE
1/2"
3/4**1/2"
3/4"
1"
1-1/4"
1-1/4**1-1/2"
1-1/2"
2"
2-1/2"
3"
4"



## CAMLOCK REDUCER(MATERIAL:ALUMINIUM)

AR Male Adapter X Female

SIZE
A2015
A2030
A3020
A3025
A3040
A4030
A4060
A6040



BR Female Coupler X Male

SIZE
B2015
B3020
B3040
B4030




DD Female Coupler X Female Coupler

SIZE
DD150
DD200
DD2030
DD300
DD3040
DD400



DR Female Adapter X Female

SIZE
D2015
D3020
D4020
D4030



FR Male Adapter X Male

SIZE
F2015
F3015
F3020
F3040
F2030
F4030



CR Female Coupler X Hose Shank

SIZE
C2015
C2520
C3020
C3025
C3040
C4020
C4030



SA Spool Adapter

SIZE
AA100
AA150
AA200
AA2030
AA300
AA3040
AA400
AA600



DA Female Coupler x Male Adapter

SIZE
DA1520
DA2015
DA2030
DA2040
DA3020
DA3025
DA3040
DA4020
DA4030
DA4060
DA6040



### CAMLOCK REDUCER(MATERIAL:ALUMINIUM)

ER Male Adapter X Hose

SIZE

- E2015
- E2520
- E2030
- E3020
- E3025
- E3040
- E4020
- E4025
- E4030



Camlock Reducer-Full Set



API Coupling

SIZE

- 6X2-1/2"
- 6X3"
- 6X4"



Special Camlock C+E



Camlock With Flange

SIZE

- 2"
- 2-1/2"
- 3"
- 4"
- 5"
- 6"
- 8"



PP Special Camlock



Pin Lug

SIZE

- 1"
- 1-1/4"
- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"



Special Camlock

SIZE

- 2"
- 2-1/2"
- 3"
- 4"



### GUILLEMIN QUICK COUPLING (MATERIAL:ALUMINIUM+SS304 & 316)

Hose Tall With Latch

SIZE

- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"



Female Without Latch

SIZE

- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"



Male Without Latch

SIZE

- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"



Cap+Latch+Chain

SIZE

- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"



Reducer

SIZE

- 2" x 1-1/2"
- 2-1/2" x 1-1/2"
- 2-1/2" x 2"
- 3" x 1-1/2"
- 3" x 2"
- 3" x 2-1/2"
- 4" x 1-1/2"
- 4" x 2"
- 4" x 2-1/2"
- 4" x 3"



Female With Latch

SIZE

- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"



Male With Latch

SIZE

- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"



Male Helico Hose End

SIZE

- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"



Choke Plug(with Chain)

SIZE

- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"



Helico Hose End

SIZE

- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"



### AIR HOSE COUPLING (U.S. TYPE)



Material: Carbon Steel or Malleable Iron

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"



Material: Carbon Steel or Malleable Iron

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"



Material: Carbon Steel or Malleable Iron

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"



Material: Carbon Steel or Malleable Iron

SIZE	1-1/4"
	1-1/2"
	2"



Material: Carbon Steel or Malleable Iron

SIZE	1-1/4"
	1-1/2"
	2"



Material: Carbon Steel or Malleable Iron

SIZE	1-1/4"
	1-1/2"
	2"

### AIR HOSE COUPLING (EUROPEAN TYPE)



Material: Carbon Steel or Malleable Iron

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"
	1-1/4"
	1-1/2"
	2"



Material: Carbon Steel or Malleable Iron

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"
	1-1/4"
	1-1/2"
	2"



Material: Carbon Steel or Malleable Iron

SIZE	1/4"
	3/8"
	1/2"
	3/4"
	1"
	1-1/4"
	1-1/2"
	2"

### GEKA COUPLING (BRASS)



Material: BRASS

SIZE	3/8"
	1/2"
	3/4"
	1"
	1-1/4"
	1-1/2"



Material: BRASS

SIZE	3/8"
	1/2"
	3/4"
	1"
	1-1/4"
	1-1/2"



Material: BRASS

SIZE	3/8"
	1/2"
	3/4"
	1"
	1-1/4"
	1-1/2"



Material: BRASS

SIZE	3/8"
	1/2"
	3/4"
	1"
	1-1/4"
	1-1/2"

### 2 & 4 Bolt Clamp



B-4	1/2"	15/16"-1-1/16"
B-5	1/2"	1-1/16"-1-3/16"
B-9	3/4"	1-5/16"-1-1/2"
BU-9	3/4"	1-3/16"-1-5/16"
B-10	3/4"	1-1/2"-1-11/16"
B-14	1"	1-11/16"-1-15/16"
BU-14	1"	1-17/32"-1-23/32"
B-15	1"	1-15/16"-2-1/8"
B-19	1-1/4"	2-1/8"-2-6/8"
BU-24	1-1/2"	2-3/32"-2-9/32"
BU-29	2"	2-1/2"-2-25/32"
B-34	2-1/2"	3-1/2"-3-15/16"
BU-34	2-1/2"	3-3/32"-3-7/16"
B-35	3"	3-13/16"-4-1/16"


### 3-WAY




### Blank End




### STORZ COUPLING (ALUMINIUM)

Female	
SIZE	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	

Male	
SIZE	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	

Hose End	
SIZE	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	


Sealed Cap	
SIZE	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
5"	
6"	

### TW-Coupling (DIN28450)

Material: BRASS / SS / ALUMINIUM



SIZE
DN50
DN80
DN100



SIZE
DN50
DN80
DN100




SIZE
DN50
DN80
DN100


### HOSE CLAMP



American Worm-drive Clamp (Band width: 8mm and 12.7mm)		
6-13mm	19-44mm	78-101mm
6-16mm	29-51mm	91-114mm
11-20mm	34-57mm	95-127mm
13-23mm	40-64mm	100-140mm
16-25mm	46-70mm	110-150mm
16-32mm	53-76mm	
21-38mm	72-90mm	



Germany Type Clamp (Band width: 9mm and 12.7mm)		
9-13mm	31-48mm	104-127mm
13-16mm	38-54mm	127-146mm
13-19mm	44-60mm	146-159mm
16-22mm	50-70mm	149-178mm
19-25mm	60-80mm	175-203mm
22-29mm	70-90mm	200-229mm
25-35mm	83-102mm	225-254mm
28-41mm	95-115mm	251-281mm



Superior Clamp Material: Zn-plated steel and Stainless steel	
D17-19	D86-91
D20-22	D92-97
D23-25	D98-103
D26-28	D104-112
D29-31	D113-121
D32-35	D122-130
D36-39	D131-139
D40-43	D140-148
D44-47	D149-161
D48-51	D162-174
D52-55	D175-187
D56-59	D188-200
D60-63	D201-213
D64-67	D214-226
D68-73	D227-239
D74-79	D240-252
D80-85	

## HOSE CLAMP

### Double-bolt Clamp



Size	Clamp Range (Min)	Clamp Range (Max)
SL-22	21/32"	7/8"
SL-29	7/8"	1-9/64"
SL-34	1-5/32"	1-11/32"
SL-40	1-5/16"	1-19/32"
SL-49	1-5/8"	1-15/16"
SL-60	1-7/8"	2-3/8"
SL-76	2-3/8"	3-7/16"
SL-94	3-1/2"	3-11/16"
SL-115	3-3/4"	4-1/2"
SL-400	3-1/2"	4"
SL-463	4-1/16"	4-5/8"
SL-525	4-11/16"	5-1/4"
SL-550	5"	5-1/2"
SL-600	5-5/16"	6-1/6"
SL-675	6-1/8"	6-7/8"
SL-769	6-15/16"	7-5/8"
SL-818	7-11/16"	8-3/16"
SL-875	8-1/4"	8-7/8"
SL-988	8-15/16"	9-7/8"
SL-1125	9-15/16"	11-3/8"
SL-1275	11-3/16"	13"

### Safety Whipcheck Cable



1/8"X20-1/4"	3/16"X28"	10mmX54"
1/4"X38"	3/8"X44"	

### Spiral Clamp

Material: Steel(Plated Zn)

1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



### Safety Clamp

Material: SS Or Aluminium

5213(13*5)
5219(19*6)
5225(25*6)
5232(32*6)
5238(38*6.5)
5240(40*7)
5250(50*5)
5250(50*8)
5250(50*10)
5263(63*6)
5263(63*8)
5275(75*7.5)
5275(75*8)
5275(75*10)
5280(80*8)
5290(90*6.5)
52100(100*8)
52100(100*10)
52125(125*10)
52150(150*10)



## SPECIAL COUPLING

### Aluminium Camlock 90 Elbow

SIZE
1"
1-1/4"
1-1/2"
2"
3"
4"



### Aluminium Camlock DCL with Locking Handle

SIZE
3/4"
1"
1-1/2"
2"
2-1/2"
3"
4"
6"



## SS CAMLOCK(EN14420-7/DIN2828)


### A

SIZE
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



### C

SIZE
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



### D

SIZE
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



### E

SIZE
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



### SANDBLAST COUPLING

**Q**

SIZE
Q-IM
Q-1
Q-2
Q-3



**MHE**

SIZE
MHE-IM
MHE-1
MHE-2
MHE-3



**HE**

SIZE
HE-1
HE-2
HE-3



**SB**



**Strainer**

Material: Galvanized Steel


1"
1-1/2"
2"
2-1/2"
3"
4"
6"
8"



**Ground Joint Coupling**

Material: Galvanized Steel


1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



**K.C. NIPPLE**

Material: Galvanized Steel/ Stainless Steel/ Brass


1/2"	3"
3/4"	4"
1"	5"
1-1/4"	6"
1-1/2"	8"
2"	10"
2-1/2"	12"



**Hose Mender**

Material: Galvanized Steel/ Stainless Steel/ Brass

1/2"	3"
3/4"	4"
1"	5"
1-1/4"	6"
1-1/2"	8"
2"	10"
2-1/2"	12"



### CAMLOCK ACCESSORIES

**Storz Gasket**


SIZE
1"
1-1/2"
2"
2-1/2"
3"
4"
5"



**Camlock Gasket**


Material: NBR; EPDM; VITON

1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
5"
6"
8"
10"
12"



**Guillemin Gasket**

SIZE
1-1/2"
2"
2-1/2"
3"
4"



**Universal Coupling- Gasket**




Material: NBR

SIZE	Small	Big

**Pin**

Material: STAINLESS STEEL/ CARBON STEEL


3/4"
1"
2"
3"
6"



**Handle**

Material: STAINLESS STEEL OR BRASS

3/4"
1"
2"
3"
6"




**Chain**



Material: Stainless Steel  
Carbon Steel


**Safety Pin**



## BAUER COUPLING

Bauer Coupling

SIZE	
2"	
3"	
4"	
6"	
8"	
10"	
12"	



Perrot Bauer Coupling

SIZE	
2"	
3"	
4"	
6"	
8"	
10"	
12"	



Miller Bauer Coupling

SIZE	
2"	
3"	
4"	
6"	
8"	
10"	
12"	



Bauer Coupling With Thread

SIZE	
2"	
3"	
4"	
6"	
8"	
10"	
12"	




Bauer Coupling With Flange

SIZE	
2"	
3"	
4"	
6"	
8"	
10"	
12"	




Bauer Coupling With Nipple

SIZE	
2"	
3"	
4"	
6"	
8"	
10"	
12"	



Bauer Coupling For Welding

SIZE	
2"	
3"	
4"	
6"	
8"	
10"	
12"	



Gasket For Bauer

SIZE	
2"	
3"	
4"	
6"	
8"	
10"	
12"	



## OTHER COUPLING

Heavy Duty King Nipple

SIZE	
2"	
3"	
4"	
5"	
6"	
8"	



Water Gun



Ferrules

Material: Galvanized Steel/Stainless Steel	
1"	
1-1/2"	
2"	
2-1/2"	
3"	
4"	
6"	




PP Guillemin Coupling-reducer

SIZE	
1-1/2"	
2"	
2-1/2"	
3"	
4"	




PP Guillemin Coupling-Male With Latch

SIZE	
1-1/2"	
2"	
2-1/2"	
3"	
4"	



PP Guillemin Coupling-Cap

SIZE	
1-1/2"	
2"	
2-1/2"	
3"	
4"	



PP Guillemin Coupling-Hose End

SIZE	
1-1/2"	
2"	
2-1/2"	
3"	
4"	



PP Guillemin Coupling-Female With Latch

SIZE	
1-1/2"	
2"	
2-1/2"	
3"	
4"	

